



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204

DAYMARK™



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204



CONTACT INFO


(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204

PRODUCT INFOGRAPHIC



Consistent Brightness Across the Illumination Area


- ~61,000 LUX @ 16" (40.6 cm) Working Distance (WD)
- 90% or ~54,900 LUX @ 16" (40.6 cm) WD
- 85% or ~51,850 LUX @ 16" (40.6 cm) WD
- 75% or ~45,750 LUX @ 16" (40.6 cm) WD

High Brightness at All Working Distances


- ~260,000 LUX 2.1" (5.3 cm) Spot @ 10" (25.4 cm) WD
- ~61,000 LUX 4" (10.2 cm) Spot @ 16" (40.6 cm) WD

Daymark™


The Ultimate Lightweight Experience




5 Intensity Levels
Up to ~260,000 LUX
2.1" (5.3 cm) Spot @ 10" (25.4 cm) WD




Adjustable Iris
1" (2.5 cm) - 4" (10.2 cm) at 16" (40.6 cm) WD




Lithium Ion Battery: Product lasts - Max. 25 hours & min. 5 hours depending on intensity level




Smooth Surface & Easy to Clean. Concealed Fan & Removable Lower Optic




Outstanding Fit and Comfort




>80 CRI, 5,500K Color Temperature




2 Button Control in Battery Holster: On/Off & Intensity Control



LED Expected Lifespan >10,000 Hours



Battery Weight: 8 oz. (230 g)



Optic Weight: 5 oz (141 g)

1 800.717.4673 | info@bfiwinc.com | 445 Baxter Avenue, Suite 175, Louisville, KY 40204, USA | www.BFWinc.com

CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204

SPECIFICATIONS

- 5 Intensity Levels - 15,000 to 60,000 LUX at 16" (40cm)
- Adjustable Iris (1"- 4" at 16"/40cm Working Distance)
- Lithium Ion Battery: 300+ Charges
- 2 Button Control in Battery Holster: On/Off & Intensity Control
- >80 CRI (Color Rendering Index); 5,500K Color Temperature
- 1-Year Limited Manufacturer's Warranty

LUX/BATTERY LIFE

- Level 1: 15,000 LUX at 16" (40cm) /25 hours
- Level 2: 30,000 LUX at 16" (40cm) /12 hours
- Level 3: 40,000 LUX at 16" (40cm) / 9 hours
- Level 4: 50,000 LUX at 16" (40cm) / 7 hours
- Level 5: 60,000 LUX at 16" (40cm) / 5 hours
- LUX measured at 16" (40cm) from the eye of the user to the field, optic fully opened - a true brightness measurement

TESTED-CERTIFICATION

- IEC 60601-1 (ed. 3)
- IEC 60601-1-2 (ed. 4)
- ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10)
- CAN/CSA-C22.2 NO. 60601-1 (2008)
- CE

SYSTEM INCLUDES

- Daymark™ Optic on Classic Fiji™ or Key West™ "Bikini" Headband
- 2 Batteries
- Battery Holster/Control Unit
- Charging Cradle w/power supply
- Linkage Kit
- Storage & Carrying Case



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204

PRODUCTS CODES

- BFW™ 9070 – Daymark™ System – Classic Fiji™ Headband
- BFW™ 9074 – Daymark™ System – Key West “Bikini” Headband
- BFW™ 9072 – Daymark™ Retrofit Module

DOCUMENTS

- [Daymark™ Product PDF](#)
- [Lighting Guide](#)

OPERATION MANUAL



CONTACT INFO

(855) 999-0262 (US toll-free)

1 502.899.1808

445 Baxter Avenue, Suite 175

Louisville KY 40204